ELSEVIER

Journal of Affective Disorders 42 (1997) 215–216

JOURNAL OF AFFECTIVE DISORDERS

Author index

Alsén, M., see Niméus, A. (42) 137
Álvarez, E., Pérez-Solá, V., Pérez-Blanco, J., Queraltó, J.M., Torrubia, R. and Noguera, R.
Predicting outcome of lithium added to antidepressants in resistant depression (42) 179
Ammann, R., see Modestin, J. (42) 29
Austin, M.-P., see Parker, G. (42) 49
Austin, M.-P., see Parker, G. (42) 155

Backenstraß, M., see Pantel, J. (42) 69
Baving, L., Maes, H., Bohus, M., Lis, S., Krieger, S., Olbrich, H. and Berger, M.
Can negative self-schemes in depressives be altered through sleep deprivation? (42) 93
Bech, P., Stage, K.B., Nair, N.P.V., Larsen, J.K., Kragh-Sørensen, P. and Gjerris, A.
The Major Depression Rating Scale (MDS). Inter-rater reliability and validity across different settings in randomized moclobemide trials (42) 39
Beersma, D.G.M., see Boenink, A.D. (42) 117
Berger, M., see Baving, L. (42) 93
Boenink, A.D., Bouhuys, A.L., Beersma, D.G.M. and Meesters, Y.
Prediction of acute and late responses to light therapy from vocal (pitch) and self-rated activation in seasonal affective disorder (42) 117
Bohus, M., see Baving, L. (42) 93
Bouhuys, A.L., see Boenink, A.D. (42) 117
Bredenkamp, D., see Harrington, R. (42) 9
Buysse, D.J., see Perlis, M.L. (42) 209

Cassano, G.B., see Pini, S. (42) 145
Cheetham, S.C., see Lowther, S. (42) 199
Crompton, M.R., see Lowther, S. (42) 199
Czernik, A., see Sauer, H. (42) 169

Dech, H., see Pantel, J. (42) 69
De Paermentier, F., see Lowther, S. (42) 199
Donaldson, S.K., Klein, D.N., Riso, L.P. and Schwartz, J.E.
Comorbidity between dysthymic and major depressive disorders: A family study analysis (42) 103

Essig, M., see Pantel, J. (42) 69
Eysenbach, K., see Pantel, J. (42) 69

Friedlinger, M., see Pantel, J. (42) 69
Friis, S., see Magnusson, A. (42) 113
Fudge, H., see Harrington, R. (42) 9

Giles, D.E., see Perlis, M.L. (42) 209
Gillberg, C., see Ivarsson, T. (42) 59
Gjerris, A., see Bech, P. (42) 39
Greil, W., see Sauer, H. (42) 169
Groothues, C., see Harrington, R. (42) 9

Hadzi-Pavlovic, D., see Parker, G. (42) 49
Hadzi-Pavlovic, D., see Parker, G. (42) 155
Harrington, R., see Rende, R. (42) 23
Harrington, R., Rutter, M., Weissman, M., Fudge, H., Groothues, C., Bredenkamp, D., Pickles, A., Rende, R. and Wickramaratne, P.
Psychiatric disorders in the relatives of depressed probands. I. Comparison of prepubertal, adolescent and early adult onset cases (42) 9
Horton, R.W., see Lowther, S. (42) 199
Hug, A., see Modestin, J. (42) 29

Ivarsson, T. and Gillberg, C.
Depressive symptoms in Swedish adolescents: Normative data using the Birleson Depression Self-Rating Scale (DSRS) (42) 59

Katona, C.L.E., see Lowther, S. (42) 199
Klein, D.N., see Donaldson, S.K. (42) 103
Klein, D.N., Lewinsohn, P.M. and Seeley, J.R.
Psychosocial characteristics of adolescents with a past history of dysthymic disorder: comparison with adolescents with past histories of major depressive and non-affective disorders, and never mentally ill controls (42) 127
Knopp, M.V., see Pantel, J. (42) 69
Kragh-Sørensen, P., see Bech, P. (42) 39
Krieger, S., see Baving, L. (42) 93
Kupfer, D.J., see Perlis, M.L. (42) 209

Larsen, J.K., see Bech, P. (42) 39
Lewinsohn, P.M., see Klein, D.N. (42) 127
Lis, S., see Baving, L. (42) 93
Lowther, S., De Paermentier, F., Cheetham, S.C., Crompton, M.R., Katona, C.L.E. and Horton, R.W.

5-HT$_{1A}$ Receptor binding sites in post-mortem brain samples from depressed suicides and controls (42) 199
Ludwig-Mayerhofer, W., see Sauer, H. (42) 169

Maes, H., see Baving, L. (42) 93
Magnusson, A., Friis, S. and Opjordsmoen, S.
Internal consistency of the Seasonal Pattern Assessment Questionnaire (SPAQ) (42) 113
McClure, E., Rogeness, G.A. and Thompson, N.M.
Characteristics of adolescent girls with depressive symptoms in a so-called 'normal' sample (42) 187
Meesters, Y., see Boenink, A.D. (42) 117
Mitchell, P., see Parker, G. (42) 49
Mitchell, P., see Parker, G. (42) 155
Modestin, J., Hug, A. and Ammann, R.
Criminal behavior in males with affective disorders (42) 29
Montgomery, S.A., see Pini, S. (42) 145

Nair, N.P.V., see Bech, P. (42) 39
Niméus, A., Träskman-Bendz, L. and Alsén, M.
Hopelessness and suicidal behavior (42) 137
Noguera, R., see Álvarez, E. (42) 179

Olbrich, H., see Baving, L. (42) 93
Opjordsmoen, S., see Magnusson, A. (42) 113

Pantel, J., Schröder, J., Essig, M., Popp, D., Dech, H., Knopp, M.V., Schad, L.R., Eysenbach, K., Backenstraß, M. and Friedlinger, M.
Quantitative magnetic resonance imaging in geriatric depression and primary degenerative dementia (42) 69
Parker, G., Roussos, J., Hadzi-Pavlovic, D., Wilhelm, K., Mitchell, P. and Austin, M.-P.
Plumbing the depths: Some problems in quantifying depression severity (42) 49
Parker, G., Roussos, J., Mitchell, P., Wilhelm, K., Austin, M.-P. and Hadzi-Pavlovic, D.
Distinguishing psychotic depression from melancholia (42) 155
Pérez-Blanco, J., see Álvarez, E. (42) 179
Pérez-Solá, V., see Álvarez, E. (42) 179
Perlis, M.L., Giles, D.E., Buysse, D.J., Tu, X. and Kupfer, D.J.
Self-reported sleep disturbance as a prodromal symptom in recurrent depression (42) 209
Pickles, A., see Rende, R. (42) 23
Pickles, A., see Harrington, R. (42) 9
Pini, S., Cassano, G.B., Simonini, E., Savino, M., Russo, A. and Montgomery, S.A.
Prevalence of anxiety disorders comorbidity in bipolar depression, unipolar depression and dysthymia (42) 145
Popp, D., see Pantel, J. (42) 69

Queraltó, J.M., see Álvarez, E. (42) 179

Rende, R., see Harrington, R. (42) 9
Rende, R., Weissman, M., Rutter, M., Wickramaratne, P., Harrington, R. and Pickles, A.
Psychiatric disorders in the relatives of depressed probands. II. Familial loading for comorbid non-depressive disorders based upon proband age of onset (42) 23
Richter, P., see Sauer, H. (42) 169
Riso, L.P., see Donaldson, S.K. (42) 103
Rogeness, G.A., see McClure, E. (42) 187
Roussos, J., see Parker, G. (42) 49
Roussos, J., see Parker, G. (42) 155
Russo, A., see Pini, S. (42) 145
Rutter, M., see Harrington, R. (42) 9
Rutter, M., see Rende, R. (42) 23

Sauer, H., Richter, P., Czernik, A., Ludwig-Mayerhofer, W., Schöchlin, C., Greil, W. and von Zerssen, D.
Personality differences between patients with major depression and bipolar disorder — the impact of minor symptoms on self-ratings of personality (42) 169
Savino, M., see Pini, S. (42) 145
Schad, L.R., see Pantel, J. (42) 69
Schöchlin, C., see Sauer, H. (42) 169
Schröder, J., see Pantel, J. (42) 69
Schwartz, J.E., see Donaldson, S.K. (42) 103
Seeley, J.R., see Klein, D.N. (42) 127
Simonini, E., see Pini, S. (42) 145
Stage, K.B., see Bech, P. (42) 39

Thompson, N.M., see McClure, E. (42) 187
Torrubia, R., see Álvarez, E. (42) 179
Träskman-Bendz, L., see Niméus, A. (42) 137
Tu, X., see Perlis, M.L. (42) 209

Uluğ, B., see Uluşahin, A. (42) 1
Uluşahin, A. and Uluğ, B.
Clinical and personality correlates of outcome in depressive disorders in a Turkish sample (42) 1

von Zerssen, D., see Sauer, H. (42) 169

Weissman, M., see Harrington, R. (42) 9
Weissman, M., see Rende, R. (42) 23
Wickramaratne, P., see Harrington, R. (42) 9
Wickramaratne, P., see Rende, R. (42) 23
Wilhelm, K., see Parker, G. (42) 49
Wilhelm, K., see Parker, G. (42) 155

ELSEVIER

Journal of Affective Disorders 42 (1997) 217–218

JOURNAL OF AFFECTIVE DISORDERS

Subject index

Activation; SAD; Fundamental frequency; Prediction; Response; Light therapy **42,** 117

Adolescence; Depression; Neuropsychological **42,** 187

Adolescent; Depression; Age; Pubertal; Development **42,** 9

Adolescent; Suicide; Birleson Depression Self-Rating Scale (DSRS) **42,** 59

Adolescent depression; Dysthymic disorder; Psychosocial functioning; Recovery **42,** 127

Aetiology; Psychotic depression; Delusional depression; Phenomenology **42,** 155

Affective disorder; Criminal behavior; Male; Diagnostic subgroup; Controlled investigation **42,** 29

Age; Depression; Adolescent; Pubertal; Development **42,** 9

Alzheimer's disease; Late-onset depression; MR-volumetry **42,** 69

Amygdala; Suicide; Depression; 5-HT_{1A} receptor binding sites; Post-mortem brain tissue; Antidepressant drugs; Cerebral cortex; Hippocampus **42,** 199

Antidepressant drugs; Suicide; Depression; 5-HT_{1A} receptor binding sites; Post-mortem brain tissue; Cerebral cortex; Hippocampus; Amygdala **42,** 199

Antidepressants; Lithium; Depression; Predictor; Resistant depression; Outcome **42,** 179

Anxiety disorders; Unipolar depression; Bipolar depression; Dysthymia; Comorbidity **42,** 145

AUSSI score; Depression; Quantifying depression **42,** 49

Bipolar depression; Unipolar depression; Dysthymia; Comorbidity; Anxiety disorders **42,** 145

Birleson Depression Self-Rating Scale (DSRS); Adolescent; Suicide **42,** 59

Cerebral cortex; Suicide; Depression; 5-HT_{1A} receptor binding sites; Post-mortem brain tissue; Antidepressant drugs; Hippocampus; Amygdala **42,** 199

Chronicity; Depression; Follow-up; Neuroticism **42,** 1

Cognition; Depression; Negative bias; Self-scheme; Sleep deprivation **42,** 93

Comorbidity; Dysthymia; Major depression; Family study **42,** 103

Comorbidity; Unipolar depression; Bipolar depression; Dysthymia; Anxiety disorders **42,** 145

Controlled investigation; Criminal behavior; Affective disorder; Male; Diagnostic subgroup **42,** 29

Criminal behavior; Affective disorder; Male; Diagnostic subgroup; Controlled investigation **42,** 29

Delusional depression; Psychotic depression; Phenomenology; Aetiology **42,** 155

Depression; Follow-up; Chronicity; Neuroticism **42,** 1

Depression; Adolescent; Age; Pubertal; Development **42,** 9

Depression; Quantifying depression; AUSSI score **42,** 49

Depression; Cognition; Negative bias; Self-scheme; Sleep deprivation **42,** 93

Depression; Lithium; Antidepressants; Predictor; Resistant depression; Outcome **42,** 179

Depression; Adolescence; Neuropsychological **42,** 187

Depression; Suicide; 5-HT_{1A} receptor binding sites; Post-mortem brain tissue; Antidepressant drugs; Cerebral cortex; Hippocampus; Amygdala **42,** 199

Development; Depression; Adolescent; Age; Pubertal **42,** 9

Diagnostic subgroup; Criminal behavior; Affective disorder; Male; Controlled investigation **42,** 29

Dysthymia; Major depression; Comorbidity; Family study **42,** 103

Dysthymia; Unipolar depression; Bipolar depression; Comorbidity; Anxiety disorders **42,** 145

Dysthymic disorder; Psychosocial functioning; Recovery; Adolescent depression **42,** 127

Effect size; Major depression; Factor structure; Inter-rater reliability; Validity; Responsiveness **42,** 39

Factor analysis; Seasonal affective disorder; Seasonal Pattern Assessment Questionnaire; Reliability **42,** 113

Factor structure; Major depression; Inter-rater reliability; Validity; Effect size; Responsiveness **42,** 39

Family study; Dysthymia; Major depression; Comorbidity **42,** 103

Follow-up; Depression; Chronicity; Neuroticism **42,** 1

Fundamental frequency; SAD; Activation; Prediction; Response; Light therapy **42,** 117

5-HT$_{1A}$ receptor binding sites; Suicide; Depression; Post-mortem brain tissue; Antidepressant drugs; Cerebral cortex; Hippocampus; Amygdala **42,** 199

Hippocampus; Suicide; Depression; 5-HT$_{1A}$ receptor binding sites; Post-mortem brain tissue; Antidepressant drugs; Cerebral cortex; Amygdala **42,** 199

Hopelessness; Suicidal behavior; Mood disorders; Personality disorders **42,** 137

Inter-rater reliability; Major depression; Factor structure; Validity; Effect size; Responsiveness **42,** 39

Late-onset depression; Alzheimer's disease; MR-volumetry **42,** 69

Light therapy; SAD; Activation; Fundamental frequency; Prediction; Response **42,** 117

Lithium; Depression; Antidepressants; Predictor; Resistant depression; Outcome **42,** 179

Major depression; Factor structure; Inter-rater reliability; Validity; Effect size; Responsiveness **42,** 39

Major depression; Dysthymia; Comorbidity; Family study **42,** 103

Male; Criminal behavior; Affective disorder; Diagnostic subgroup; Controlled investigation **42,** 29

Mood disorder; Personality; Munich Personality Test; Psychopathology **42,** 169

Mood disorders; Hopelessness; Suicidal behavior; Personality disorders **42,** 137

MR-volumetry; Late-onset depression; Alzheimer's disease **42,** 69

Munich Personality Test; Personality; Mood disorder; Psychopathology **42,** 169

Negative bias; Depression; Cognition; Self-scheme; Sleep deprivation **42,** 93

Neuropsychological; Depression; Adolescence **42,** 187

Neuroticism; Depression; Follow-up; Chronicity **42,** 1

Outcome; Lithium; Depression; Antidepressants; Predictor; Resistant depression **42,** 179

Personality; Mood disorder; Munich Personality Test; Psychopathology **42,** 169

Personality disorders; Hopelessness; Suicidal behavior; Mood disorders **42,** 137

Phenomenology; Psychotic depression; Delusional depression; Aetiology **42,** 155

Post-mortem brain tissue; Suicide; Depression; 5-HT$_{1A}$ receptor binding sites; Antidepressant drugs; Cerebral cortex; Hippocampus; Amygdala **42,** 199

Prediction; SAD; Activation; Fundamental frequency; Response; Light therapy **42,** 117

Predictor; Lithium; Depression; Antidepressants; Resistant depression; Outcome **42,** 179

Psychopathology; Personality; Mood disorder; Munich Personality Test **42,** 169

Psychosocial functioning; Dysthymic disorder; Recovery; Adolescent depression **42,** 127

Psychotic depression; Delusional depression; Phenomenology; Aetiology **42,** 155

Pubertal; Depression; Adolescent; Age; Development **42,** 9

Quantifying depression; Depression; AUSSI score **42,** 49

Recovery; Dysthymic disorder; Psychosocial functioning; Adolescent depression **42,** 127

Reliability; Seasonal affective disorder; Seasonal Pattern Assessment Questionnaire; Factor analysis **42,** 113

Resistant depression; Lithium; Depression; Antidepressants; Predictor; Outcome **42,** 179

Response; SAD; Activation; Fundamental frequency; Prediction; Light therapy **42,** 117

Responsiveness; Major depression; Factor structure; Inter-rater reliability; Validity; Effect size **42,** 39

SAD; Activation; Fundamental frequency; Prediction; Response; Light therapy **42,** 117

Seasonal affective disorder; Seasonal Pattern Assessment Questionnaire; Reliability; Factor analysis **42,** 113

Seasonal Pattern Assessment Questionnaire; Seasonal affective disorder; Reliability; Factor analysis **42,** 113

Self-scheme; Depression; Cognition; Negative bias; Sleep deprivation **42,** 93

Sleep deprivation; Depression; Cognition; Negative bias; Self-scheme **42,** 93

Suicidal behavior; Hopelessness; Mood disorders; Personality disorders **42,** 137

Suicide; Adolescent; Birleson Depression Self-Rating Scale (DSRS) **42,** 59

Suicide; Depression; 5-HT$_{1A}$ receptor binding sites; Post-mortem brain tissue; Antidepressant drugs; Cerebral cortex; Hippocampus; Amygdala **42,** 199

Unipolar depression; Bipolar depression; Dysthymia; Comorbidity; Anxiety disorders **42,** 145

Validity; Major depression; Factor structure; Inter-rater reliability; Effect size; Responsiveness **42,** 39